

www.westatehose.com.au

89 PILBARA STREET WELSHPOOL W.A. 6105

Phone: 08 6163 3626



Bushfire Survival Plan

If you live in on or near bushland, you are at risk from a bushfire and developing a bushfire survival plan is critical.

Being prepared for a bushfire can help save you and your family's lives, your property and your livelihood.

Are you and your family at risk?

You need to think about the bushfire risk to your family and home:

Do you live in or near bush?

Does your local area have a bushfire history?

Do you have trees and shrubs within 20 metres of your house?

Is your house built on a slope?

Is your bushfire survival plan more than one year old?

If you answered yes to one or more of these questions then being impacted by a bushfire is a real risk to you and your family. You need to have a bushfire survival plan and keep it updated.

When developing your plan decide together if you will leave for a safer place, which may be to relocate to family or friends, or stay to actively defend your home. Make sure you write everything down.

If you live alone consider creating a plan with a neighbour or friend.

Everybody should have their own tasks and have a list of actions to take if there is a bushfire.

Keep your bushfire survival plan in an easy to find place and make sure everyone knows where it is.

Practice your plan regularly and review it every year.

For further information on how to prepare for and survive the bushfire season visit the bushfire publications page.





HOSE REELS AND FIRE KITS

HOSE REELS PART No DESCRIPTION


HEAVY DUTY STEEL HOSE REELS



HRFF19
HOSE REEL FULLY FITTED (25MT HOSE)
ASSEMBLED WITH 19MM FIRE HOSE AND NOZZLE

HRFF25
HOSE REEL FULLY FITTED (20MT HOSE)
ASSEMBLED WITH 25MM FIRE HOSE AND NOZZLE

(WITH FULL 1" SIDE SWIVEL TAILPIECE)



HRSR40-18

3/4" BARE HOSE REEL ONLY
(FLAT PACK BOX ONLY - No Fittings & not assembled)

HRSR40-18F

HOSE REEL WITH FITTINGS
(Assembled but no Hose, Clamps or Nozzle)

1" BARE HOSE REEL ONLY
(FLAT PACK BOX ONLY - No Fittings & not assembled)

HRSR40-25F

HOSE REEL WITH FITTINGS
(Assembled but no Hose, Clamps or Nozzle)

FIRE KITS	PART No	DESCRIPTION
-----------	---------	-------------



Australian Made WFK-1

1 x 5mts 40mm heavy duty grey suction hose
1 x 20mts 19mm black fire reel hose.

Fully assembled with strainer , 1" X 3/4" nut and tails adjustable nozzles and clamps.

HOSE REELS AND FIRE KITS

HOSE REELS PART No DESCRIPTION

PREMIUM POLY HOSE REELS



HRP19 3/4" BARE POLY HOSE REEL

HRP19FF 3/4" x 36M FITTED POLY HOSE REEL

(Fitted with Hose, Clamps & Nozzle)

HRP25 1" BARE POLY HOSE REEL

HRP25FF 1" x 20M FITTED POLY HOSE REEL

(Fitted with Hose, Clamps & Nozzle)

COMMERCIAL HOSE REELS





FFS-HR-36B	3/4" x 36M FIXED HOSE REEL *
FFS-HRS036A	$1" \times 30M$ FIXED HOSE REEL
HRS036A-SS	3/4" x 36M S/S FIXED HOSE REEL
HRS037A	3/4" x 36M SWING ARM HOSE REEL *
HRS037A-SS	3/4" x 36M S/S SWING ARM HOSE REEL

^{*} Denotes Australian Standard Approved

D225 BLACK GENERAL PURPOSE HOSE

General service air & water hose used in a wide variety of industries, including agriculture, fire-fighting and construction where oil is not a factor. EPDM tube gives this hose an excellent chemical resistance.



PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
D225-012	12.7	100
D225-019	19	100
D225-025	25	100

P.V.C. PRESSURE AND SUCTION HOSE

PRESSURE "FR" BLACK FIRE REEL HOSE

Designed for Stationary and Mobile Fire Fighting Units.





PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
PHFR19/020	19	20
PHFR19/025	19	25
PHFR19/036	19	36
PHFR19/100	19	100
PHFR25/020	25	20
PHFR25/030	25	30
PHFR25/100	25	100

PRESSURE "FRY" YELLOW FIRE REEL HOSE

Designed for Stationary and Mobile Fire Fighting Units.







PART No	Nom. I.D.(mm)	STANDARD COIL LENGTH (metres)
PHFRY19/020	19	20
PHFRY19/036	19	36
PHFRY19/100	19	100

Fitted Yellow Fire Hose Assembley

PHFRY19/020F	19	20
PHFRY19/036F	19	36

GREY - HEAVY DUTY SUCTION/DISCHARGE HOSE

General purpose Suction and Discharge hose for Water, Slurries some Chemicals, Seed, Fertilisers and Fire Fighting pumps.



(NON TOXIC FOOD GRADE: AS / NZS 2070)



PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
SHHD025/020	25	20
SHHD025/030	25	30
SHHD032/020	32	20
SHHD038/020	40	20
SHHD038/030	40	30
SHHD044/020	45	20
SHHD050/020	51	20
SHHD050/030	51	30
SHHD063/020	64	20
SHHD075/020	76	20
SHHD100/020	102	20

P.V.C. PRESSURE AND SUCTION HOSE

BLUE - PETROL & OIL HEAVY DUTY SUPERFLEX SUCTION HOSE

A heavy duty blue PVC suction and discharge hose designed for the transfer of hydrocarbon based materials including diesel fuel, petrol and oils,greases and lubricants. Also suitable for 90% of agricultural chemicals used. A very flexible hose which is easy to use.

SUPER ELASTIC SUCTION HOSE





PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
SHP0025/020	25	20
SHPO032/020	32	20
SHPO038/020	40	20
SHPO050/020	51	20
SHPO063/020	64	20
SHPO075/020	76	20
SHPO100/020	102	20

BLACK - H/D PETRO CHEMICAL SUCTION HOSE

A highly flexible hose particularly well suited for collection of environmental waste products and chemicals. It's high nitrile content PVC compound gives this hose improved resistance to mineral oils and animal fats.

SUPER ELASTIC SUCTION HOSE





PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
SHPC020/020	20	20
SHPC025/020	25	20
SHPC032/020	32	20
SHPC038/020	40	20
SHPC050/020	51	20
SHPC063/020	64	20
SHPC075/020	76	20

*** DON'T FORGET CLAMPS ***



WE ALSO CARRY AN EXTENSIVE RANGE OF CLAMPS
INCLUDING WORMDRIVE CLAMPS AND SUPER CLAMPS
IN BOTH MILD STEEL AND STAINLESS STEEL
PLEASE DON'T HESITATE TO ASK OUR TEAM FOR
INFORMATION ON WHICH BEST SUITS YOUR NEEDS



P.V.C. PRESSURE AND SUCTION HOSE

PRESSURE " GHT " GREEN TINTED GARDEN HOSE



Unfitted and Fitted

F - Denotes Fitted

PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
PHGHT12/100	12	100
PHGHT18/100	18	100
PHGHT12/20F	12	20 Fitted
PHGHT12/30F	12	30 Fitted
DII.011/010 (00E	10	00 574 1
PHGHT18/20F	18	20 Fitted
PHGHT18/30F	18	30 Fitted
PHGHT18/35F	18	35 Fitted

PRESSURE " GHG " GARDEN HOSE (5 YEAR WARRANTY)



PART No	Nom.	STANDARD COIL
	I.D.(mm)	LENGTH (metres)
PHGHG1218	12	18
PHGHG1230	12	30
PHGHG12100	12	100
PHGHG1818	18	18
PHGHG1830	18	30
PHGHG18100	18	100
PHGHG2420	24	20
PHGHG24100	24	100

GARDEN HOSE WITH FITTINGS (5 YEAR WARRANTY)



PART No	Nom.	STANDARD COIL	
	I.D.(mm)	LENGTH (metres)	
PHGHG1215F	12	15 with fittings	
PHGHG1218F	12	18 with fittings	
PHGHG1230F	12	30 with fittings	

PRESSURE " GH " GARDEN HOSE (10 YEAR WARRANTY)



PART No	Nom.	STANDARD COIL	
	I.D.(mm)	LENGTH (metres)	
PHGH1218	12	18	
PHGH1230	12	30	
PHGH12100	12	100	
PHGH1818	18	18	
PHGH1830	18	30	
PHGH18100	18	100	

BIC & STORZ FITTINGS

BIC 2 1/2" HEAD



Female x Hosetail



Male x Hosetail



 $\begin{array}{c} \text{Female x} \\ \text{Fem. Iron} \end{array}$



Female x Male Iron



Male x Fem. Iron



Male x Male Iron

SIZE PART # SIZE PART 1 1/2" BIC040FT 1 1/2" BICB040 2" BIC050FT 2" BICB050 2 1/2" BIC065FT 2 1/2" BICB065)FT)FT
2" BIC050FT 2" BICB050)FT
2 1/2" BIC065FT 2 1/2" BICB065	FT
1.4.40H DYGD.40	1 cm
1 1/2" BIC040MT 1 1/2" BICB040	
2" BIC050MT 2" BICB050	
2 1/2" BIC065MT 2 1/2" BICB065	MT
1.1.(0)	
1 1/2" BIC040FF 1 1/2" BICB040	
2" BIC050FF 2" BICB050	
2 1/2" BIC065FF 2 1/2" BICB065	FF
1 1/2" BIC040FM 1 1/2" BICB040	
2" BIC050FM 2" BICB050	FM
2 1/2" BIC065FM 2 1/2" BICB065	FM
1 1/2" BIC040MF 1 1/2" BICB040	MF
2" BIC050MF 2" BICB050	MF
2 1/2" BIC065MF 2 1/2" BICB065	MF
1 1/2" BIC040MM 1 1/2" BICB040	MM
2" BIC050MM 2" BICB050	MM
2 1/2" BIC065MM 2 1/2" BICB065	MM

STORZ



Storz x Hosetail



Storz x Fem. Iron



Storz x Male Iron

	ALUMINIU	JM	
SIZE	KA [mm]	PART NUMBER	
	Lug spacing		
1" x 3/4"	31	STZT3119	
1" x 1"	31	STZT3125	
1 1/2" x 1 1/2"	52	STZT5238	
2" x 2"	66	STZT6652	
2 1/2" x 2 1/2"	81	STZT8165	
3" x 3"	89	STZT8975	
1" x 3/4"	31	STZF3119	
1" x 1"	31	STZF3125	
1 1/2" x 1 1/2"	52	STZF5238	
2" x 2"	66	STZF6650	
2 1/2" x 2 1/2"	81	STZF8165	
3" x 3"	89	STZF8975	
1" x 3/4"	31	STZM3119	
1" x 1"	31	STZM3125	
1 1/2" x 1 1/2"	52	STZM5238	
$2" \times 2"$	66	STZM6652	
2 1/2" x 2 1/2"	81	STZM8165	
3" x 3"	89	STZM8975	

VALVES, STRAINERS AND NOZZLES

HOSE STRAINERS



SCRIPTION
1 1 /0"
1 1/2"
2"

HOSE REEL NOZZLE



PART No	DESCRIPTION
FQN	3/4" BSP FEMALE

RED PLASTIC

POWERJET NOZZLE



PART No	DESCRIPTION
PJN - SMALL	1" BSP FEMALE
PJN - LARGE	1 1/2" BSP FEMALE

POLYCARBONATED MECHANISMS

QUELL STYLE JET/SPRAY NOZZLE



RED	PI.	AS	ric
עטא	ΓL	വാ.	-

PART No	DESCRIPTION
QJS-075	3/4" HOSETAIL

SUPER JET / SPRAY NOZZLE



PART No	DESCRIPTION
SJS - 075	3/4" HOSETAIL
SJS - 100	1" HOSETAIL

VALVES, STRAINERS AND NOZZLES

BALL VALVE NOZZLE



PART No	DESCRIPTION	
N050	1/2" HOSETAIL	
N075	3/4" HOSETAIL	
N100	1" HOSETAIL	

BRASS JET / SPRAY NOZZLE

BRASS WITH RUBBER PROTECTOR







PART No	DESCRIPTION
BJS-075	3/4" HOSETAIL
BJS-100	1" HOSETAIL
GW239	3/4" FEMALE THREAD
GW238	3/4" FEMALE THREAD

INSULATED HAND SPRAY GUN



PART No	DESCRIPTION
DIX - SN75	3/4" BSP FEMALE

INSULATED HANDLE

WASHDOWN GUN



PART No	DESCRIPTION		
DIX-GUNNA	1/2" BSP FEMALE. BLUE		
	INSULATED BRASS GUN		
DIX-GUNNAR	1/2" BSP FEMALE. RED		
	INSULATED BRASS GUN		

INSULATED

VALVES, STRAINERS AND NOZZLES

				_
PART No	SIZE		WORKING PRESS.	
	(MM)	(INS)	PSI	

BRASS BALLVALVE



1705012A	12.5	1/2"	725
1705020A	19	3/4"	580
1705025A	25	1"	580
1705032A	32	1 1/4"	470
1705040A	38	1 1/2"	362
1705050A	50	2"	362

BRASS GATEVALVE



920012	12.5	1/2"	200
920020	19	3/4"	200
920025	25	1"	200
920032	32	1 1/4"	200
920038	38	1 1/2"	200
920050	50	2"	200

BRASS SWING-CHECK



932012	12.5	1/2"	200
932020	19	3/4"	200
932025	25	1"	200
932032	32	1 1/4"	200
932038	38	1 1/2"	200
932050	50	2"	200

BRASS FOOTVALVE



933012	12.5	1/2"	115
933020	19	3/4"	115
933025	25	1"	115
933032	32	1 1/4"	115
933038	38	1 1/2"	115
933050	50	2"	115

SOLAR PUMPS

The perfect solar-powered pump for replacement of a windmill water supply

The SQFlex 1-3 is a solar submersible pump designed for water supply from shallow wells, with low daily flow requirements. Because of its small size, it is a perfect match as a replacement pump for a windmill, and the pump also excels as part of battery or generator system. This makes it the most competitive solar water supply solution on the market for these small-scale applications.





Built-in Maximum Power Point Tracking (MPPT) software and motor protection Wide voltage range and flexibility for AC/DC power sources Dry Running Protection Easy to install and extremely reliable Pump and Motor are made of Stainless Steel DIN.-Nr. 1.4401/AISI 316

ASK ABOUT A SYSTEM TODAY!